

HIC BESPOKE STUDIO

Wooden Floorings Catalogue



www.hicbespokestudio.com



CREATING SPACES YOU'LL LOVE TO LIVE IN

At HIC Bespoke Studio, we work exclusively with responsibly sourced supplier to deliver high-performance engineered wood flooring for both residential and commercial projects.

By combining innovation, refined design, and the natural character of wood, we create flooring solutions that elevate modern interiors in the UK and beyond. Our collections are trusted by homeowners, designers, and architects who prioritise durability, sustainability, and carefully considered material choices for a more responsible built environment.





SMART FLOORING, MASTERED, REFINED

SOME INSIGHTS...

DESIGNED FOR UNDERFLOOR HEATING

Our engineered wood floors work seamlessly with underfloor heating systems. Comfort and performance go hand in hand —no compromises needed.

RESPONSIBLY SOURCED. ALWAYS.

Sustainability is built into every decision we make, our flooring is designed to last, with minimal environmental impact and maximum peace of mind.

SEE IT. FEEL IT. CHOOSE WITH CONFIDENCE.

Samples are a great first step, each plank has its own personality—and viewing it at scale helps set expectations and spark confidence in your choice.

OUR SPC FLOORING PERFORMANCE >>



■ Anti slip

The surface features a high-density special-textured wood grain pattern. It becomes more slip-resistant when wet, preventing slips. Installing it at home alleviates safety concerns for the elderly and children. Its features are unmatched by stone and tiles.



■ Impact resistance

With unique raw materials and manufacturing technique, SPC flooring can provide excellent impact resistance to you. You don't have to worry when you walk on it in your new high heels or dropping your heavy suitcase on the floor after your trip.




■ Eco-friendly

All materials used in the product are safe and environmentally friendly, have no impact on the human environment, and do not contain any radioactive elements.



■ Noise reduction

It features environmental friendliness, sound insulation, moisture resistance, etc., enabling families to enjoy a quieter and more comfortable indoor environment. The soundproof mat has sound absorption and insulation functions, allowing for a peaceful living space.



■ 100% water proof

SPC flooring is a new type of 100% waterproof flooring material. The raw materials such as stone powder do not absorb water by nature, thus ensuring its waterproof property.



Unprotected Surface



Antimicrobial Protected Surface



■ Antibacterial Properties

Innovative coatings and moisture-resistant, anti-mold backing provide a cleaner and healthier flooring solution for everyone. Microorganisms are unable to thrive, making the floor 99% cleaner than untreated flooring as certified by SGS, offering round-the-clock protection for your family.



■ Stain Resistance

The unique dual UV coating ensures superior stain resistance for Yinuo SPC flooring. Common stains such as coffee, any type of sauce, oil, vinegar, or other marks can be easily cleaned with a wet mop.



■ Scratch resistance

Compared to conventional UV coatings, the scratch resistance is improved by 200%.



■ Wear Resistance

SPC flooring features a transparent wear-resistant layer with a wear rotation count exceeding 10,000 cycles.



■ Fire Resistance

Tested for fire safety, it achieves a B1 fire rating and self-extinguishes when removed from the flame, ensuring life safety.





Silent on Foot



100% Waterproof



Fire Retardant



UV Coating



Easy Cleaning and Maintenance



UNILIN Locking System



Overlaying Installation



Commercial Grade



Apply 15 years



Anti Termite



Highly Slip Resistant



ECO FRIENDLY Flooring

Superficie dura y rigida

Eco-friendly

Resistente al agua

Resistente a golpes

Silencioso al caminar

Resistente al fuego

Facil de aspirar y limpiar

Resiste productos quimicos de limpieza

Antibacterial

Rapida Instalacion

Antirayas

Antideslizante

Waterproof And Anti-slip & Fire



Its emulsion wood surface won't be slippery because product has a high-density structure, keeping the elderly people and young children safe. The stone and the ceramic tile can't compare with it. Through the fire test. Our Products do not burn ,neither does it support burning, guarantee the safety of your life.



Quietness & Comfortable Underfoot

After instaliation, feels comfortable and quiet





Safety And Environmental-friendly



The materials of the product are safe and environmen-friendly; Have no harm to environment and human body; No radioactive elements and formaldehyde.



Discover our creative collection



The Hungarian point or the Viennese point patterns add a luxurious - looking allure to an interior space. Characterized by their delicate designs, these patterns elevate the aesthetic appeal of the interior space.



Combine a vintage look with a unique wood character through a single or double herringbone pattern.

Prestige Oak

Available in

ESPC | SPC | WPC | LVT

A naturally inspired design with a warm, rustic character.

Distinctive knots add depth and an authentic, lived-in appearance.

A visually rich finish that stays true to the beauty of real wood.



KW768L -10



KW768L -1



KW768L -2



KW759L -19



KW759L -20



KW759L -1



KW768L-4



KW768L-12



KW759L -50



KW759L -4



KW759L -17

Friston Oak

Available in

ESPC | SPC | WPC | LVT

Crafted for relaxed, inviting interiors, Friston Oak delivers a sense of quiet balance.

Its understated design and natural tones promote comfort and harmony throughout the space.

A timeless flooring option that complements and elevates any interior setting.



KW776L-3




KW776L-5



KW776L-1



ZK633L-2



KW776L-6



KW776L-7



ZK633L-4





French Oak

Available in

ESPC | SPC | WPC | LVT

Soft golden tones bring light and warmth to this refined oak flooring.

A smooth texture and delicate grain create a fresh, open feel, enhancing brightness and flow.


An excellent choice for contemporary interiors seeking a spacious, airy atmosphere.



KW764L-13



KW764L-5



KW764L-11



KW764L-14



ZK633L-10

Valley Oak

Available in
ESPC | SPC | WPC | LVT

This design features soft, neutral oak tones with delicate grain detail and subtle knotting.

Its lightly weathered appearance creates a bright, open feel while maintaining natural character.

Well suited to modern, Scandinavian, or rustic-inspired interiors, adding warmth and refinement without dominating the space.



KW487L-2



KW487L-3



KW487L-6



KW487L-9



KW487L-10



KW487L-12



KW487L-8



KW487L-1



Valley Oak

Available in
ESPC | SPC | WPC | LVT

This design features soft, neutral oak tones with delicate grain detail and subtle knotting. Its lightly weathered appearance creates a bright, open feel while maintaining natural character.

Well suited to modern, Scandinavian, or rustic-inspired interiors, adding warmth and refinement without dominating the space.



KW755-4



KW755-5



KW755-1



KW755-6



KW755-10



KW755-2

Parisian Oak

Available in
ESPC | SPC | WPC | LVT

Defined by a gentle, natural grain and refined knot detailing, this design introduces a sense of warmth and quiet sophistication. Its balanced, versatile tone works effortlessly across both contemporary and classic interiors, providing a timeless base for residential or commercial spaces.



ZK503HXL - 1



ZK503HXL-2



ZK503HXL-10



ZK503HXL-14



ZK503HXL-15



ZK627L -1



ZK627L-4



ZK627L-6



ZK627L-10



Chateau Oak

Available in
ESPC | SPC | WPC | LVT

Chateau Oak captures a classic, natural appeal with warmth at its core. Its rich tones create a welcoming, lived-in atmosphere, bringing comfort and ease to any room. Defined grain details and natural knots add depth and individuality, while the versatile design integrates effortlessly into both modern and traditional interiors, elevating the space with understated character.



ZK627L-15



ZK627L-9

Sierra Oak

Available in
ESPC | SPC | WPC | LVT

Sierra Oak showcases warm, natural tones paired with fluid grain detailing and gentle knot features. Its organic lines and balanced contrasts deliver a refined rustic character, bringing depth and warmth to any interior. Well suited to both classic and contemporary spaces, this design offers timeless appeal with a natural, welcoming presence.



ZK629XL-6



ZK629XL-8



KW224-4



KW224-7



ZK629XL-10



ZK629XL-11



KW224-13



KW224-11

Character Oak

Available in
ESPC | SPC | WPC | LVT

A smoked finish enhances these time-worn boards, creating rich tonal variation with pronounced grain detail and dark, burnished knots. The softly bleached, naturally aged appearance delivers a contemporary edge, adding depth, character, and understated style to any project.



ZK630L-3



ZK630L-11



ZK630L-10



ZK630L-2



Elegant Oak

Available in
ESPC | SPC | WPC | LVT

This contemporary oak design strikes a refined balance between comfort and style. Clean lines and neutral, earthy tones create a calm, cohesive look that integrates effortlessly into open-plan spaces and minimalist interiors.



ZK631L-4



ZK631L-2



ZK631L-3



ZK631L-10



ZK631L-11



Royal Oak

Available in

ESPC | SPC | WPC | LVT

Royal Oak delivers a refined balance between contemporary design and classic wood character. Subtle detailing and a neutral palette create a versatile foundation, seamlessly complementing both modern and traditional interiors with understated elegance.




ZK632L-6



ZK632L-10



ZK632L-11



ZK632L-12



Wild Walnut

Available in
ESPC | SPC | WPC | LVT


Wild Walnut presents a refined, natural look defined by smooth grain lines and subtle tonal variation. Its rich colouring adds depth and sophistication, while gentle knot details and linear textures create an organic, crafted feel. Designed to bring balance and warmth, this flooring blends rustic character with modern simplicity—ideal for inviting, well-considered interiors.



ZK628L-8



ZK628L -2



ZK628L -10



ZK628L -5





Stone Designs

This collection captures the authentic character of natural stone while offering a practical, easy-to-install solution. Carefully engineered for performance and durability, it delivers a refined, decorative finish suited to both residential and commercial environments.



Urban Grey

Available in
ESPC | SPC | WPC | LVT

Urban Grey delivers a clean, stone-inspired aesthetic with a distinctly modern edge.

Cool grey tones and refined texture create a sleek, contemporary foundation, making it well suited to offices, loft-style interiors, and premium commercial spaces seeking a polished, metropolitan feel.



Savoia Stone

Available in
ESPC | SPC | WPC | LVT

Inspired by the understated elegance of natural stone, Savoia Stone features a soft, neutral palette that blends effortlessly into modern, minimalist, and Scandinavian interiors. Its refined texture and muted tones introduce a sense of quiet luxury, enhancing spaces with subtle sophistication.



ZK124-4




ZK124-6



ZK124-7



ZK124-10



ZK124-3



KM567-1



Raw Concrete

Available in
ESPC | SPC | WPC | LVT

Raw Concrete offers a muted grey foundation that brings clarity and balance to any colour palette. Equally effective alongside warm woods or sleek metal finishes, it adapts seamlessly to a range of interior styles. The soft, matte surface delivers an industrial aesthetic with a refined edge, combining durability with contemporary appeal.



KM567-6




KM567-7



Natural Marble

Available in
ESPC | SPC | WPC | LVT

Natural Marble delivers a refined, timeless look defined by soft grey tones and subtle natural variation. Inspired by real stone, its gently textured finish creates a calm, balanced atmosphere while adding authentic character and warmth. A versatile choice for both residential and commercial interiors seeking understated elegance.




Accessories

Underlayment

We offer pre-attached underlayment that minimises both reflected and transmitted sound.

- Reduce walking sound
- Reduce impact sound
- Compatible with floor heating
- Subfloor imperfection coverage



MOULDING IN THE COLOUR OF FLOORING

We offer mouldings that match each floor design :

- T-Moulding
- Reducer
- End Cap
- Quarter Round
- Flush Stair Nose
- Stair Nose




IXPE

Density: 100 kg/m³

Thickness: 1mm, 1.5mm, 2mm

Customised emboss is available



IEVA

Density: 260 kg/m³

Thickness: 1mm, 1.5mm, 2mm

Technical Specification

		Vinyl Flooring	WPC Vinyl Flooring	SPC Flooring
Product				
Thickness	ISO24346	2.5mm Tolerance + 0.13mm, - 0.1mm	6.5mm Tolerance + 0.13mm, - 0.1mm	5.0mm Tolerance + 0.13mm, - 0.1mm
Wear Layer	ISO24346	0.55mm	0.55mm	0.55mm
Squareness	ISO243426 ASTM F2055-10	≤0.25mm	≤0.25mm	≤0.25mm
Straightness	ISO24342	≤0.25mm	≤0.25mm	≤0.25mm
Surface Treatment		Urethane Ceramic Beads	Urethane Ceramic Beads	Urethane Ceramic Beads
Performance classification	ISO10582 ASTM F1700	42: Light industrial general 33:Commercial heavy 23: Domestic heavy	42: Light industrial general 33:Commercial heavy 23: Domestic heavy	42: Light industrial general 33:Commercial heavy 23: Domestic heavy
Guarantee	Light industria Commercial Domestic	10 years 15 years Life Time	10 years 15 years Life Time	10 years 15 years Life Time
Dimensional stability	ISO 23999 ASTM F 2199	≤0.2% ≤0.013 in/ft	≤0.2% ≤0.018 in/ft	≤0.2% ≤0.013 in/ft
Heat Curl	ISO 23999	≤2mm	≤2mm	≤2mm
Static load	ASTM F970	≤0.13 mm	≤0.13 mm	≤0.13 mm
Resistance to impact	ASTMF 1265	No crack	No crack	No crack
Residual indentation	ISO24343-1 ASTM F1914	≤0.05mm <5%	≤0.1mm ≤0.018mm	≤0.05mm <5%
Abrasion resistance	EN 660-2 ASTM 3389	Group T Pass Wear Index: 0.128	Group T Pass Wear Index: 0.128	Group T Pass Wear Index: 0.128
Thermal resistance	EN 12664:2001	0.033(m ² -K)/W	0.033(m ² -K)/W	0.033(m ² -K)/W
Light fastness	ISO 105-B02 ASTM F-1515	≥6 ΔE < 8	≥6 ΔE < 8	≥6 ΔE = 0.73
Reaction to fire	ISO9239-1 ASTM E-648-06	Bfl -S1 Class 1	Bfl -S1 Class 1	Bfl -S1 Class 1
Resistance to staining	ISO 26987:2008	Pass	Pass	Pass
Slip resistance	EN 13893 DIN 51130ASTM C-1028	Class DS R10	Class DS R10	Class DS R10
Chemical resistance	ASTM F925 ISO4918	Pass. No more than a slight change in surface dulling, surface attack or staining	Pass. No more than a slight change in surface dulling, surface attack or staining	Pass. No more than a slight change in surface dulling, surface attack or staining
Castor chair test	ISO 4918:2016/AMD.1:2018(E)	Pass. No visible damage after 25000 cycles	Pass. No visible damage after 25000 cycles	Pass. No visible damage after 25000 cycles
Underfloor heating		Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C
VOC emissins	FloorScore TÜV PROFICERT Assure Certified	Certified Certified Certified	Certified Certified Certified	Certified Certified Certified

ESPC Flooring

5.5mm Tolerance + 0.13mm, - 0.1mm

0.55mm

≤0.25mm

≤0.25mm

Urethane Ceramic Beads

42: Light industrial general 33:Commercial heavy

23: Domestic heavy

10 years | 15 years | Life Time

≤0.1% | ≤0.013 in/ft

≤2mm

≤0.13 mm

No crack

≤0.05mm <5%

Group T Pass Wear Index: 0.128

0.033(m²-K)/W

≥6 | ΔE = 0.73

Bfl -S1 | Class 1

Pass

Class DS | R10

Pass. No more than a slight change in surface dulling, surface attack or staining

Pass. No visible damage after 25000 cycles

Suitable, max 27°C

Certified

Certified

Certified

Tile/Plank Size

Inch Size	LVT		LVT Click		WPC		SPC/ESPC	
	Width(mm)	Length(mm)	Width(mm)	Length(mm)	Width(mm)	Length(mm)	Width(mm)	Length(mm)
18"x18"	457.2	457.2						
12"x24"	304.8	609.6	304.8	609.6	305	610	305	610
12"x36"	316	944	308	936	305	936	305	936
18"x36"	474	944	466	936	466	936	466	936
18"x24"	457.2	609.6	450	602	466	610	466	610
24"x36"	628	915	620	907	620	907	610	936
36"x36"	914.4	914.4						
NEW 3"x18"	76.2	457.2						
NEW 3"x36"	78.2	914.4						
NEW 4"x12"	101.6	304.8						
NEW 4"x36"	101	914.4						
5"x25"			125	625	125	625	125	625
6"x30"							150	750
6"x36"	152.4	914.4	150	936	148	936	150	936
6"x48"	152.4	1219.2	150	1219.2	148	1220	150	1220
CHEVRON 6.2"x28"	158	710						
7"x48"	185	1219.2	177.8	1219.2	180	1220	180	1220
9"x48"	228.6	1219.2	228.6	1219.2	228	1220	228	1220
7"x60"					180	1520	180	1520
9"x60"	236.6	1532	228.6	1524	228	1520	228	1520
9"x72"							228	1830





Please be aware that all product images are provided for illustrative purposes only. While every effort has been made to ensure colours are reproduced as accurately as current printing processes allow, we recommend viewing a physical sample at a local retailer prior to purchase. Should you require assistance, please contact us and we will be pleased to direct you to your nearest retailer.

We reserve the right to modify or discontinue any product featured in this catalogue at any time, without prior notice, although we will endeavour to communicate changes where possible.

As natural variations in colour, tone, and texture may occur between different SPC production batches, we strongly advise purchasing sufficient quantities in a single order to complete your project. Please ensure the colour blend is satisfactory before installation, as claims relating to visible variations identified prior to fixing cannot be accepted once the product has been installed.



www.hicbespokestudio.com